beyond
APPLIANCES



Service across
20,000+ Pincodes



+91 8043628278

beyondappliances.in

beyond

APPLIANCES

From pioneers who automated 25,000+ restaurant kitchens At Beyond, we build appliances that question conventions & rethink cooking. From groundbreaking innovation to thoughtful design, every product is engineered to delight. Because the future of cooking should be as advanced as everything else around us.



India's 1st
Android Powered Chimney

Cook & stream movies together

Warranty
10-year motor & 2-year full product coverage

Smart Display Hub
Watch movies, play music, order groceries & much more




Dual Speakers
Enjoy movies & music in cinematic sound

Nano Coated Motor
Heat & corrosion resistant for long lasting performance

3W LED Lights
Cook with clear visibility in bright lighting

Powerful Suction
Clear smoke in minutes with 1600 CMH & 3D suction






More reasons to choose **Android Powered Chimney**

- Dual Speakers
- Dry Heat Auto Clean
- LPG Reminder
- Timed Auto Turn Off
- Grocery Apps
- OTT Apps
- Google Apps
- 7 Inch Screen
- Lifetime Software Updates

India’s 1st
AI Powered Chimney

AI powered, Human focused



AI Whistle Counter
Stop guessing, AI counts every whistle & alerts

Long Lasting Motor
Durable motor engineered for everyday cooking

Dual Speakers
Connect your device & enjoy songs in cinematic sound

Warranty
10-Year Motor & 2-Year full product coverage

High Suction
Breathe fresh air in minutes with 1500 CMH filterless suction

3W LED Lights
Cook with clear visibility in bright lighting

More reasons to choose
AI Powered Chimney

Digital Display

Bluetooth

FM Radio

Dry Heat Auto Clean



India’s 1st
Plug ‘N’ Play Chimney

No core cutting, No ducting

Activated Charcoal Filter
For effective absorption of smoke, oil & odour



4 Years Filter Life
High performance filter lasts not 1, not 2, not 3...but 4 long years

3 Sided Vents
Quickly clear smoke with multidirectional smoke capture

Single Button Control
Control everything easily with an intuitive button

High Suction
Breathe fresh air in minutes with 1400 CMH suction

3W LED Light
Cook with clear visibility in bright lighting

5 Stage Filtration
Inspired by Hydroponics

The filter absorbs the smoke, removes oil, grease & odour,
then releases clean, cool & breathable air into your kitchen


Stage 5
Cools the air

Stage 4
Catches Nanoparticles

Stage 3
Seperates fumes

Stage 2
Neutralises odour

Stage 1
Captures oil particles



4 Years Filter Life
High performance filter lasts not 1, not 2, not 3...but 4 long years



More reasons to choose **Plug ‘N’ Play Chimney**

No Core Cutting

No Ducting

10 Minutes Installation

Easily Portable


For 2, 3 & 4 burner stoves







Model name	Orion 90	Asteria 90	Asteria 60
Model number	BASC-OA90-KE-001	BASC-AA90-IF-001	BASC-AA60-IF-001
Width	90cm	90cm	60cm
Suction power	1600 m3/hr (cubic meter per hour CMH)	1408 m3/hr (cubic meter per hour CMH)	1408 m3/hr (cubic meter per hour CMH)
Product dimensions	90 x 88 x 38 cm (w x h x d)	90 x 53 x 50 cm (w x h x d)	60 x 53 x 50 (w x h x d)
Product Weight	29.5 Kg	22 Kg	19 Kg
Mounting type	Wall mount	Wall mount	Wall mount
Power supply	230v, 50 Hz Single Phase	230v, 50 Hz Single Phase	230v, 50 Hz Single Phase
Rated Power	276W	200W	200W
Finish	Black & Glass	Black	Black
Controls	Touchscreen & Buttons	Touchscreen & Touch Panel	Touchscreen & Touch Panel
Speaker	5W stereo speaker	5W stereo speaker	5W stereo speaker
Cleaning	Dry Heat Auto Clean	Dry Heat Auto Clean	Dry Heat Auto Clean
Motor Power	250W	160W	160W
Lighting	LED (8W)	LED (3W)	LED (3W)
Filter	Baffle filters (Industrial Grade Teflon Coating)	Filter less	Filter less
Noise level	63 dB	58 dB	58 dB
Blower Coating	Industrial Grade Teflon Coating	Black	Black
Duct	7" (5 feet in Length)	6" (5 feet in Length)	6" (5 feet in Length)
Fan speed adjustment	3 levels (800,1200,1600 CMH)	3 levels (1003/1205/1408 CMH)	3 levels (1003/1205/1408 CMH)
Light dimming	3 Levels	3 Levels	3 Levels
Power Cord length	1.5 m	1 m	1m
Special Features	&roid Tab, Auto Clean	&roid Tab, Auto Clean	&roid Tab, Auto Clean
Waranty	10-Year Motor, 2-Year Screen & 2-Year full product coverage	10-Year Motor, 2-Year Screen & 2-Year full product coverage	10-Year Motor, 2-Year Screen & 2-Year full product coverage







Model name	Eris 90 cm	Eris 60 cm	Cube
Model number	BASC-ER90-IF-003	BASC-ER60-IF-003	BABC-CU60-BA-003
Width	90cm	60cm	60cm
Suction power	1500 m3/hr (cubic meter per hour CMH)	1500 m3/hr (cubic meter per hour CMH)	1400 m3/hr (cubic meter per hour CMH)
Product dimensions	90 x 71.4 x 41.9 cm	60 x 71.4 x 41.9 cm	59.5 x 51 x 34 cm
Product Weight	23 Kg	18 Kg	16 Kg
Mounting type	Wall mount	Wall mount	Wall mount
Power supply	230v, 50 Hz Single Phase	230v, 50 Hz Single Phase	230v, 50 Hz Single Phase
Rated Power	200W	200W	200W
Finish	Black & Glass	Black & Glass	Black, Grey & Veneer
Controls	Touchscreen & Touch Panel	Touch Panel & Touch Panel	Touch Panel
Speaker	5W stereo speaker	5W stereo speaker	-
Cleaning	Dry Heat Auto Clean	Dry Heat Auto Clean	Dry Heat Auto Clean
Motor Power	160W	160W	160W
Lighting	2 LED - 6W (3W+3W) – 3 levels	1 LED - 3W - 3 levels	2 LED - 1.5 W + 1.5 W
Filter	Filterless	Filterless	Activated Charcoal Filter & Baffle Filter
Noise level	58 dB	58 dB	48 dB
Blower Coating	Black	Black	Black
Duct	6" (5 feet in Length)	6" (5 feet in Length)	Ductless
Fan speed adjustment	3 levels (800,1200,1500 CMH)	3 levels (800,1200,1500 CMH)	3 levels (800/1100/1400 CMH)
Light dimming	3 Levels	3 Levels	1 Level
Power Cord length	1 m	1 m	1.5m
Special Features	&roid Tab, Auto Clean	&roid Tab, Auto Clean	Auto Clean
Waranty	10-Year Motor, 2-Year Screen & 2-Year full product coverage	10-Year Motor, 2-Year Screen & 2-Year full product coverage	10-year motor, 4-year filter & 2-year full product coverage









Model name	Elara 90 cm	Elara 60 cm	Arista 90 cm	Arista 60 cm
Model number	BAAI-EL90-IF-003	BAAI-EL60-IF-003	BAAI-AA90-IF-002	BAAI-AA60-IF-003
Width	90cm	60cm	90cm	60cm
Suction power	1500 m3/hr (cubic meter per hour CMH)	1500 m3/hr (cubic meter per hour CMH)	1408 m3/hr (cubic meter per hour CMH)	1408 m3/hr (cubic meter per hour CMH)
Product dimensions	90 x 71 x 42 cm	60 x 71 x 42 cm	90 x 51.6 x 45 cm	60 x 51.6 x 45 cm
Product Weight	23 Kg	18 Kg	22 Kg	19 Kg
Mounting type	Wall mount	Wall mount	Wall mount	Wall mount
Power supply	230v, 50 Hz Single Phase	230v, 50 Hz Single Phase	230v, 50 Hz Single Phase	230v, 50 Hz Single Phase
Rated Power	200W	200W	200W	200W
Finish	Black & Glass	Black & Glass	Black & Glass	Black & Glass
Controls	Touch Panel & Motion Sensor	Touch Panel & Motion Sensor	Touch Panel & Gesture	Touch Panel & Gesture
Speaker	5W stereo speaker	5W stereo speaker	5W stereo speaker	5W stereo speaker
Cleaning	Dry Heat Auto Clean	Dry Heat Auto Clean	Dry Heat Auto Clean	Dry Heat Auto Clean
Motor Power	160W	160W	160W	160W
Lighting	2 LED - 6W (3W+3W) – 3 levels	1 LED – 3 W - 3 Levels	3w	3w
Filter	Filterless	Filterless	Filterless	Filterless
Noise level	60 dB	60 dB	58 dB	58 dB
Blower Coating	Black	Black	Black	Black
Duct	6” (5 feet in Length)	6” (5 feet in Length)	6” (5 feet in Length)	6” (5 feet in Length)
Fan speed adjustment	3 levels (800,1200,1500 CMH)	3 levels (800,1200,1500 CMH)	3 levels (1003/1205/1408 CMH)	3 levels (1003/1205/1408 CMH)
Light dimming	3 Levels	3 Levels	3 Levels	3 Levels
Power Cord length	1 m	1 m	1 m	1 m
Special features	Bluetooth, Whistle Counter, FM Radio, Auto Clean	Bluetooth, Whistle Counter, FM Radio, Auto Clean	Bluetooth, Whistle Counter, FM Radio, Auto Clean	Bluetooth, Whistle Counter, FM Radio, Auto Clean
Warranty	10-year motor & 2-year full product coverage	10-year motor & 2-year full product coverage	10-year motor & 2-year full product coverage	10-year motor & 2-year full product coverage

India’s 1st
Smart Timer Hobtob
Set time & relax

Flame Failure Device
Relax if the flame stop burning, hobtop cuts the gas supply

Smart Timer
Just set time, automatically turns off the flame & gas



Warranty
5-year glass, 5-year burners & 2-year full product coverage

More vessels. Zero clashes
Ample space to use all burners simultaneously

Full Brass Burners
For durability, heat efficiency & long life

Auto Ignition
Light the burners without manual lighters or matchsticks

More reasons to choose **Smart Timer Hobtop**



- Dum Flame
- Jumbo Burner
- 8mm Toughened Glass
- Zero Leak Design
- Tested for Durability Withstands 1 lakh+ knob rotations
- Convertible
- LPG & PNG Compatible
- Cast Iron Pan Supports
- Metallic Knobs

India’s 1st
Smart Timer Cooktop
Set time & relax

Flame Failure Device
Relax if the flame stop burning, cooktop cuts the gas supply

Smart Timer
Just set time, cooktop turns off the flame & gas

Warranty
5-year glass, & 2-year full product coverage



More vessels. Zero clashes
Ample space to use all burners simultaneously

Full Brass Burners
For durability, heat efficiency & long life

Auto Ignition
Light the burners without manual lighters or matchsticks

More reasons to choose **Smart Timer Cooktop**



5D
Flame

Steel Iron Pan
Supports

6mm Toughened
Glass

LPG & PNG
Compatible

Tested for Durability
Withstands 1 lakh+
knob rotations

India’s 1st

Open Air Combustion Hobtop

Cook faster with purer & consistent flames

Flame Failure Device

Relax if the flame stop burning, hobtop cuts the gas supply

Smart Timer

Just set time, hobtop turns off the flame & gas

Warranty

5-year full product coverage



Open Air Combution

Draws air from outside & within, to produce purer, consistent flames

2 Jumbo Burners

Use large cookware for family meals or parties

Heat Shield Pan Support

Prevents heat from escaping & directs it back to the pan

More reasons to choose
Open Air Combustion Hobtop



Auto Ignition

Zero Leak Design

8mm Toughened Glass

Cast Iron Pan Supports

Dum Flame

Convertible

Metallic Knobs

LPG & PNG Compatible

Tested for Durability
Withstands 1 lakh+ knob rotations









Model name	Altair	Zyra	Dorado 4 Burner	Dorado 3 Burner
Model number	BAHO-PR4BL-ND-002	BAHO-ZR4BL-KE-003	BAHO-4BBL-GT-001	BAHO-3BBL-GT-001
Controls	Knob & Timer	Knob & Timer	Knob & Timer	Knob & Timer
Width	80 cm	80 Cm	76 Cm	76 Cm
Cut Out Dimensions	71 X 48 cm (w x l)	71 x 48 (w x l)	65.5 X 47.5 cm (w x l)	65.5 X 47.5 cm (w x l)
Mounting type	Tabletop + Counter Insert	Tabletop + Counter Insert	Tabletop, Granite insert	Tabletop, Granite insert
Power supply	Battery powered (2 Qty. - D type 1.5v)	DC 3 Volts (Battery – D type 1.5 volts x 2 Nos.)	Battery powered (2 Qty. - D type 1.5v)	Battery powered (2 Qty. - D type 1.5v)
Finish	Black Glass with folderbeading line	Glass	Black Glass	Black Glass
Knobs	Metallic	Metallic	Metallic	Metallic
Pan Support	Cast Iron	Small pan support : Cast iron Big pan support : Stainless Steel Enamel coated	Cast Iron	Cast Iron
Burner Type	Full Brass (enamel-coated)	Full Brass - Small Burners : Full brass Big Burners : Brass with aluminum base	Full Brass (enamel-coated)	Full Brass (enamel-coated)
Burner Capacity	10.4 kW (4.5 kW + 2.5 kW + 1.7 kW + 1.7 kW)	11.6 kW (4.5 kW + 4.5 kW + 1.3 kW + 1.3 kW)	8 Kw (2.5kW + 2.5kW + 1.5kW + 1.5kW)	6.5 Kw (2.5kW + 2.5kW + 1.5kW)
Ignition	Auto (battery powered)	Auto (battery powered)	Auto (battery powered)	Auto (battery powered)
Drip Tray	Black Finish (Enamel Coated)	Stainless Steel enamel-coated	Stainless Steel	Stainless Steel
Safety	Flame Failure Device	Flame Failure Device	Flame Failure device	Flame Failure Device
Product dimensions	80 x 52 x 8 cm (w x l x h)	80 × 52 × 9.8 cm (W × L × H)	76 x 51 x 8 cm (w x l x h)	76 x 51 x 8 cm (w x l x h)
Weight	19.3 Kg	17.7 Kg	16.9 Kg	15.6 Kg
Other features	Timer, FFD, Auto ignition, Toughened glass	Timer, FFD, Auto Ignition, Toughened Glass, concealed cumbustion chamber, leak proof pan support	Timer, FFD, Auto ignition, Toughened glass	Timer, FFD, Auto ignition, Toughened glass
Warranty	5-year glass, 5-year burners & 2-year full product coverage	5-year full product coverage	5-year glass, 5-year burners & 2-year full product coverage	5-year glass, 5-year burners & 2-year full product coverage

				
Model name	Solaria 4 burner	Solaria 3-burner	Auriga 4 Burner	Auriga 3 Burner
Model number	BACT-SO4BL-BA-002	BACT-SO3BL-BA-002	BACT-AU4BL-BA-000	BACT-AU3BL-BA-000
Controls	Knob & Timer	Knob & Timer	Knob & Timer	Knob & Timer
Width	75 cm	75 cm	63.5 Cm	77 Cm
Cut Out Dimensions	-	-	-	-
Mounting type	Tabletop	Tabletop	Tabletop	Tabletop
Power supply	DC 3 Volts (Battery – D type 1.5 volts x 2.)	DC 3 Volts (Battery – D Type 1.5 V × 2 Nos.)	DC 3 Volts (Battery – D type 1.5 volts x 2)	DC 3 Volts (Battery – D type 1.5 volts x 2)
Finish	Black Glass	Black Glass	Black Glass	Black Glass
Knobs	Metallic	Metallic	Plastic (black)	Plastic (black)
Pan Support	Mild Steel (enamel-coated)	Mild Steel (enamel-coated)	Mild Steel (enamel-coated)	Mild Steel (enamel-coated)
Burner Type	Full Brass (enamel-coated)	Full Brass (enamel-coated)	Full Brass (enamel-coated)	Full brass (enamel-coated)
Burner Capacity	10.5 kW (4 kW + 2.5 kW + 2.5 kW + 1.5 kW)	8 kW (4 kW + 2.5 kW + 1.5 kW)	11 Kw (4kW + 2.5kW + 2.5kW + 1.5kW)	8 kW (Large – 4 kW, medium – 2.5kW, small – 1.5 kW)
Ignition	Auto (battery powered)	Auto (battery powered)	Auto (battery powered)	Auto (battery powered)
Drip Tray	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Safety	Flame Failure Detection	Flame Failure device	Flame Failure Device	Flame Failure Device
Product dimensions	75.0X53.0X14cm	75 × 53 × 14 cm (W × L × H)	63.5X50X14.6 cm (w x l x h)	77.0X38.0X14.6 cm
Weight	15.5 kg	14.5 Kg	9.8 Kg	8.8 Kg
Other features	Timer, FFD, Auto ignition, Toughened glass	Timer, FFD, Auto ignition, Toughened glass	Timer, FFD, Auto ignition, Toughened glass	Timer, FFD, Auto ignition, Toughened glass
Warranty	5-year glass & 2-year full product coverage	5-year glass & 2-year full product coverage	5-year glass & 2-year full product coverage	5-year glass & 2-year full product coverage